
# Demo Case

## 1) NLi080Q Democase without PLC




| Item |
|---|
| NLi080Q-112-HR integrated drive linear motor, stroke 112mm |
| Motor_cable DA00002011 (3 meter long) |
| DIN RAIL 24VDC Power supply 230VAC 10A |
| DIN RAIL NL-DB15-MG6 Terminal block |
| DIN RAIL NL-DB9-MG6 Terminal block |
| Programming cable DA012060 |
| Aluminium case 32.5 x 25.5 x 17.5 cm with Neoprene Lining and Carry Strap - Black |
| ON switch |

### Democase video





## 2) NLi120Q and MCSS080X Democase with Raspberry PLC and Touchpanel


NiLAB

| Item |
| --- |
| NLi120Q integrated drive linear motor with GHA |
| MCSS080X integrated drive linear guide |
| Touch display |
| Raspberry Pi3B PLC with codesys |
| 24VDC 20A power supply |
| 1 x DA00022011 power cable |
| 1 x DA00002011 motor cable |
| 1 x DA00012011 signal cable |

### Democase video




From:
https://www.nilab.at/dokuwiki/ - **NiLAB GmbH Knowledgebase**

Permanent link:
**https://www.nilab.at/dokuwiki/doku.php?id=en:integrated_drive_motors:demo_case**

Last update: **2026/09/11 07:55**