


Demo Case

1) NLi080Q Democase without PLC




1. NLi080Q-112-HR integrated drive linear motor, stroke 112mm
2. Motor_cable DA00002011 (3 meter long)
3. DIN RAIL 24VDC Power supply 230VAC 10Amps
4. DIN RAIL NL-DB15-MG6 Terminal block
5. DIN RAIL NL-DB9-MG6 Terminal block
6. Programming cable DA012060
7. Aluminium case 32.5 x 25.5 x 17.5 cm with Neoprene Lining and Carry Strap - Black
8. ON switch

Democase video




2) NLi120Q and MCSS080X Democase with Raspberry PLC and Touchpanel



1. NLi20Q integrated drive linear motor with GHA
2. MCSS080X integrated drive linear guide
3. Touch display
4. Raspberry Pi3B PLC with codesys
5. 24VDC 20A power supply
6. 1 x DA00022011 power cable
7. 1 x DA00002011 motor cable
8. 1 x DA00012011 signal cable

Democase video



From:

<https://www.nilab.at/dokuwiki/> - **NiLAB GmbH**
Knowledgebase

Permanent link:

https://www.nilab.at/dokuwiki/doku.php?id=integrated_drive_motors:demo_case

Last update: **2025/12/28 10:00**

