




# Dimensional details

	<b>NL040Q</b> <b>NL040X</b>	<b>NL080Q</b> <b>NL080X</b>	<b>NL120Q</b> <b>NL120X</b>
<b>LF mm</b>	15	20	35
<b>LH mm</b>	34	40	63



DIMENSION	DESCRIPTION	NL040Q	NL040X	NL080Q	NL080X	NL120Q	NL120X	UNIT
LM	Motor length	55	86	118	137	185	305	mm

## Stroke value in respect to slider codes / lengths

### NL120Q/X

Slider code	Slider Weight [Kg]	Total slider Length [mm]	Usable slider length [mm]	Stroke with NL120Q [mm]	Stroke with NL120X [mm]
NL120-G245	0,163	245	229	44	-
NL120-G275	0,185	275	259	74	-
NL120-G305	0,208	305	289	104	-
NL120-G335	0,231	335	319	134	14
NL120-G365	0,254	365	349	164	44
NL120-G395	0,277	395	379	194	74
NL120-G425	0,299	425	409	224	104
NL120-G455	0,322	455	439	254	134
NL120-G485	0,345	485	469	284	164
NL120-G515	0,368	515	499	314	194
NL120-G545	0,391	545	529	344	224
NL120-G575	0,411	575	559	374	254

NL120-G605	0,432	605	589	404	284
NL120-G635	0,454	635	619	434	314
NL120-G665	0,475	665	649	464	344
NL120-G695	0,497	695	679	494	374
NL120-G725	0,518	725	709	524	404
NL120-G755	0,539	755	739	554	434
NL120-G785	0,561	785	769	584	464
NL120-G815	0,582	815	799	614	494
NL120-G845	0,604	845	829	644	524
NL120-G875	0,625	875	859	674	554
NL120-G905	0,647	905	889	704	584
NL120-G935	0,668	935	919	734	614
NL120-G965	0,69	965	949	764	644
NL120-G995	0,711	995	979	794	674
NL120-G1025	0,732	1025	1009	824	704
NL120-G1055	0,754	1055	1039	854	734

## NL080QX

Slider code	Slider Weight [Kg]	Total slider Length [mm]	Usable slider length [mm]	Stroke with NL080Q [mm]	Stroke with NL080X [mm]
NL080-G151	0,053	151	137	19	-
NL080-G181	0,063	181	167	49	30
NL080-G211	0,074	211	197	79	60
NL080-G241	0,084	241	227	109	90
NL080-G271	0,095	271	257	139	120
NL080-G301	0,105	301	287	169	150
NL080-G331	0,116	331	317	199	180
NL080-G361	0,126	361	347	229	210
NL080-G391	0,137	391	377	259	240
NL080-G421	0,147	421	407	289	270
NL080-G451	0,158	451	437	319	300
NL080-G481	0,168	481	467	349	330
NL080-G511	0,179	511	497	379	360
NL080-G541	0,189	541	527	409	390
NL080-G571	0,2	571	557	439	420
NL080-G601	0,21	601	587	469	450
NL080-G631	0,221	631	617	499	480
NL080-G661	0,231	661	647	529	510
NL080-G691	0,242	691	677	559	540
NL080-G721	0,252	721	707	589	570
NL080-G751	0,263	751	737	619	600
NL080-G781	0,273	781	767	649	630
NL080-G811	0,284	811	797	679	660

**NL040Q/X**

Slider code	Slider Weight [Kg]	Total slider Length [mm]	Usable slider length [mm]	Stroke with NL040Q [mm]	Stroke with NL040X [mm]
NL040-G74	0,007	74	66	11	-
NL040-G9	0,008	92	84	29	-
NL040-G110	0,01	110	102	47	11
NL040-G128	0,012	128	120	65	29
NL040-G146	0,013	146	138	83	47
NL040-G164	0,015	164	156	101	65
NL040-G182	0,016	182	174	119	83
NL040-G200	0,018	200	192	137	101
NL040-G218	0,02	218	210	155	119
NL040-G236	0,021	236	228	173	137
NL040-G254	0,023	254	246	191	155
NL040-G272	0,024	272	264	209	173
NL040-G290	0,026	290	282	227	191
NL040-G308	0,028	308	300	245	209
NL040-G326	0,029	326	318	263	227
NL040-G344	0,031	344	336	281	245
NL040-G362	0,033	362	354	299	263
NL040-G380	0,034	380	372	317	281
NL040-G398	0,036	398	390	335	299
NL040-G416	0,037	416	408	353	317
NL040-G434	0,039	434	426	371	335
NL040-G452	0,041	452	444	389	353
NL040-G470	0,042	470	462	407	371
NL040-G488	0,044	488	480	425	389
NL040-G506	0,046	506	498	443	407

From:

<https://www.nilab.at/dokuwiki/> - **NI LAB GmbH**  
**Knowledgebase**

Permanent link:

[https://www.nilab.at/dokuwiki/doku.php?id=miniature\\_motors:dimensional\\_details](https://www.nilab.at/dokuwiki/doku.php?id=miniature_motors:dimensional_details)

Last update: **2026/03/05 13:29**